Model #: S442-006

SCSI/Fibre Channel - 6-ft. SCSI Cable VHDCI68M to HD50M

Highlights

Premium double-shielded cable

34 twisted-pair conductors

Description

Multi-platform SCSI III to II external peripheral cable VHDCI68M/HD50M. This 6ft cable is designed to connect two SCSI III (fast and wide) or SCSI II devices together. Manufactured using double shielded 34 twisted pair high impedance cable. Constructed with low-capacitance, impedance matched, 28 AWG, stranded, tinned copper cable with insulated in polypropylene. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

System Requirements

Any external SCSI device or controller card requiring VHDCI68 or HD50 interface

Package Includes

6-ft. SCSI Cable VHDCI68M to HD50M

Features

Backwards compatibility with previous SCSI generations

Double shielded (foil and braid)

34 twisted pair conductors

All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI

Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between

Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

PHYSICAL	
Color	Beige
Style	SCSI
Length	6 ft.
CONNECTIONS	

Connector A	
	VHDCI68 (MALE)
Connector B	
	HD50 (MALE)

Related Items

SCSI Cables		
S140-000	SCSI/Fibre Channel - External SCSI U320 LVD/SE Active Terminator HD68M (single-ended)	Qty: [optional]
S244-000	SCSI/Fibre Channel - External SCSI Adapter HD68M to Centronic 50F	Qty: [optional]
S450-006	SCSI/Fibre Channel - 6-ft. SCSI U2/U160/U320 LVD/SE cable HD68M to HD68M w/thumbscrews	Qty: [optional]

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/EN/products/model.cfm?txtModelID=2401.