



NUMBER OF CIRCUITS	"A" DIM.	"B" DIM.	"C" DIM.	MATERIAL NUMBER
01	5.46 (.215)	N/A	N/A	391000901
02	13.46 (.530)	8.00 (.315)	N/A	391000902
03	21.46 (.845)	16.00 (.630)	8.00 (.315)	391000903
04	29.46 (1.160)	24.00 (.945)	16.00 (.630)	391000904
05	37.47 (1.475)	32.00 (1.260)	24.00 (.945)	391000905
06	45.47 (1.790)	40.01 (1.575)	32.00 (1.260)	391000906
07	53.47 (2.105)	48.01 (1.890)	40.00 (1.575)	391000907
08	61.47 (2.420)	56.01 (2.205)	48.00 (1.890)	391000908
09	69.47 (2.735)	64.01 (2.520)	56.00 (2.205)	391000909
10	77.47 (3.050)	72.01 (2.835)	64.00 (2.520)	391000910
11	85.47 (3.365)	80.01 (3.150)	72.00 (2.835)	391000911
12	93.47 (3.680)	88.01 (3.465)	80.00 (3.150)	391000912

- NOTES:
1. MATERIAL: SEE TABLE
  2. FINISHES: SEE TABLE
  3. PRODUCT SPECIFICATION: NOT REQUIRED
  4. PACKAGING: NOT REQUIRED
  5. MATES WITH: NONE
  6. "XX" REFERS TO THE NUMBER OF CIRCUITS

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
4	XX*2	CLAMPING SCREWS, M2	STEEL	ZINC
3	XX	WIRE PROTECTOR	BRASS	NICKEL
2	XX	TERMINAL	BRASS	NICKEL
1	1	INSULATOR	NYLON 6	CLEAR

REF. NO. RELEASED DRAWN: JF 09-07-04 CHK'G: APPR: A	QUALITY SYMBOLS MAJOR = CRITICAL = SPEC =	GENERAL TOLERANCES: (UNLESS SPECIFIED) 4 PLACES ±.0015 3 PLACES ±.038 ±.005 2 PLACES ±.13 ±.01 1 PLACE ±.3 ANGULAR: ±2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SCALE: 2:1 DESIGN UNITS: <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH	DRAWN BY & DATE: J. FARMER 09-07-04 CHECKED BY & DATE: APPROVED BY & DATE:	PROJECT NO. - DIMENSIONS: <input checked="" type="checkbox"/> DIM INCH <input type="checkbox"/> INCH <input type="checkbox"/> DIM ONLY THIRD ANGLE PROJECTION TITLE: BMM PITCH LOW PROFILE WITH WIRE PROTECTORS MOLEX INCORPORATED MATERIAL NO. SEE CHART DRAWING NO. SD-39100-001 SHEET NO. 1 OF 1
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	SIZE: 8	