



NUMBER OF CIRCUITS	"A" DIM.	"B" DIM.	"C" DIM.	MATERIAL NUMBER
D1	7.00 [.276]	N/A	N/A	391001001
D2	17.00 [.669]	10.00 [.394]	N/A	391001002
D3	27.00 [1.063]	20.00 [.787]	10.00 [.394]	391001003
D4	37.00 [1.457]	30.00 [1.181]	20.00 [.787]	391001004
D5	47.00 [1.850]	40.00 [1.575]	30.00 [1.181]	391001005
D6	57.00 [2.244]	50.00 [1.969]	40.00 [1.575]	391001006
D7	67.00 [2.638]	60.00 [2.362]	50.00 [1.969]	391001007
D8	77.00 [3.031]	70.00 [2.756]	60.00 [2.362]	391001008
D9	87.00 [3.425]	80.00 [3.150]	70.00 [2.756]	391001009
D10	97.00 [3.819]	90.00 [3.543]	80.00 [3.150]	391001010
D11	107.00 [4.213]	100.00 [3.937]	90.00 [3.543]	391001011
D12	117.00 [4.606]	110.00 [4.331]	100.00 [3.937]	391001012

NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. PRODUCT SPECIFICATION: NOT REQUIRED
4. PACKAGING: NOT REQUIRED
5. MATES WITH: NONE
6. "XX" REFERS TO THE NUMBER OF CIRCUITS

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
4	XX*2	CLAMPING SCREWS, M3	STEEL	ZINC
3	XX	WIRE PROTECTOR	BRASS	NICKEL
2	XX	TERMINAL	BRASS	NICKEL
1	1	INSULATOR	NYLON 6	CLEAR

REL NO: RELEASED
 DRWN: JF 09-15-04
 CHK: []
 APPR: []

DESCRIPTION: []

REV: A

QUALITY SYMBOLS:
 MAJOR
 CRITICAL
 SPC

GENERAL TOLERANCES:
 (UNLESS SPECIFIED)

	mm	INCH
4 PLACES		±.0015
3 PLACES	±.038	±.005
2 PLACES	±.13	±.01
1 PLACE	±.3	

ANGULAR: ±2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE: 2:1
 DESIGN UNITS: [] mm [X] INCH
 DRAWN BY & DATE: J. FARNER 09-15-04
 CHECKED BY & DATE: [] []
 APPROVED BY & DATE: [] []

CAD FILENAME: 39100-10XX

PROJECT NO.: - - -
 DIMENSIONS: [X] mm [] INCH [] mm [] INCH [] mm [] INCH [] mm [] INCH
 THIRD ANGLE PROJECTION: [] [] [] [] [] []
 TITLE: 10MM HIGH PROFILE WITH WIRE PROTECTOR
 MOLEX INCORPORATED
 MATERIAL NO.: SEE CHART
 DRAWING NO.: SD-39100-004
 SHEET NO.: 1 OF 1
 SIZE: B

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.