


9808	9101	5650	8679
<p><b>9808-0-15-XX-16-XX-04-0</b> Press-fit in 1,70 mounting hole</p>	<p><b>9101-0-15-XX-16-XX-10-0</b> Press-fit in 1,70 mounting hole</p>	<p><b>5650-0-19-XX-16-XX-10-0</b> Press-fit in 1,70 mounting hole</p>	<p><b>8679-0-15-XX-16-XX-10-0</b> Solder mount in 1,80 min. mounting hole</p>

8827	6021	1873
<p><b>8827-0-15-XX-16-XX-04-0</b> Press-fit in 1,55 mounting hole</p>	<p><b>6021-0-15-XX-16-XX-10-0</b> Solder mount in 1,57 min. mounting hole</p>	<p><b>1873-0-15-XX-16-XX-04-0</b> Press-fit in 1,68 mounting hole</p>



<p><b>SPECIFICATIONS</b></p> <p><b>SHELL MATERIAL:</b> Brass Alloy 360, 1/2 Hard</p> <p><b>CONTACT MATERIAL:</b> Beryllium Copper Alloy 172, HT</p> <p><b>PART MANUFACTURED IN INCHES, METRIC FOR REF ONLY</b></p> <p><b>TOLERANCES ON:</b> LENGTHS: ± 0,13 DIAMETERS: ± 0,05 ANGLES: ± 2°</p>	<p><b>ORDER CODE: XXXX - X - 15 - XX - 16 - XX - XX - 0</b></p> <p><b>BASIC PART #</b> →</p> <p><b>SPECIFY SHELL FINISH:</b> →</p> <p><b>01</b> 5,08µm TIN/LEAD OVER NICKEL <b>80</b> 5,08µm TIN OVER NICKEL ◊ <b>15</b> 0,25µm GOLD OVER NICKEL ◊</p> <p><b>SPECIFY CONTACT FINISH:</b> →</p> <p><b>01</b> 2,54µm TIN/LEAD OVER NICKEL <b>80</b> 2,54µm TIN OVER NICKEL ◊ <b>27</b> 0,76µm GOLD OVER NICKEL ◊</p> <p style="text-align: center;"><b>CONTACT</b> #16 CONTACT (DATA ON PAGE 210)</p>
--	---

